

Kaiser Permanente Health Plan of Mid-Atlantic States, Inc.
Ilumya (tildrakizumab-asmn) Prior Authorization (PA)
Pharmacy Benefits Prior Authorization Help Desk
Length of Authorization: 12 months

## **Instructions:**

This form is used by Kaiser Permanente and/or participating providers for coverage of **Ilumya (tildrakizumab-asmn).**Please complete and fax this form back to Kaiser Permanente within 24 hours [fax: <u>1-866-331-2104</u>]. If you have any questions or concerns, please call <u>1-866-331-2103</u>. **Requests will not be considered unless this form is complete. The KP-MAS Formulary can be found at: <a href="http://www.providers.kaiserpermanente.org/mas/formulary.html">http://www.providers.kaiserpermanente.org/mas/formulary.html</a>** 

1 – Patient Information			
Patient Name:	Kaiser Medical ID#:	Date of Birth:	
	2 – Provider Information		
Provider Name:	Specialty:	Provider NPI:	
Provider Address:			
Provider Phone #:	Provider Fax #:		
Please check the boxes that apply:  □ Initial Request □ Continuation of The	erapy Request		
3 – Pharmacy Information			
Pharmacy Name:	Pharmacy NPI:		
Pharmacy Phone #	Pharmacy Fax #:		
	4 – Drug Therapy Requested		
Drug 1: Name/Strength/Formulation:			
Sig:			
Drug 2: Name/Strength/Formulation:			
<u> </u>			

## 5- Diagnosis/Clinical Criteria

rovide	ovider Signature: Date:		Date:
		he information provided is accurate. Supporting documentation is avai	lable for State audits.
dditio	onal Info	6 – Provider Sign-Off ormation – Please provide any additional information that should	be taken into consideration.
	<ul> <li>g. Has the patient not responded adequately (or is not a candidate) to a 3 month minimum trial of phototherapy (e.g. Psoralens with UVA light (PUVA) OR UVB with coal tar or dithranol)?</li> <li>□ No □ Yes</li> </ul>		
	f.	Has the patient not responded adequately (or is not a candidate) systemic agent (e.g. Immunosuppressives, retinoic acid derivative $\square$ No $\square$ Yes	
	e.	Has the patient not responded adequately (or is not a candidate) agents (e.g., anthralin, coal tar preparations, corticosteroids, emeretinoic acid derivatives, and/or Vitamin D analogues)? <b>AND</b> □ No □ Yes	•
	d.	Incapacitation due to plaque location (e.g., head and neck, palms $\Box$ No $\Box$ Yes	s, soles or genitalia)? <b>AND</b>
	C.	Is the Psoriasis Area and Severity Index (PASI) score 10 or greater $\hfill \square$ No $\hfill \square$ Yes	? <b>OR</b>
	b.	Is there involvement of at least 10% of body surface area (BSA)? $\hfill\Box$ No $\hfill\Box$ Yes	OR
		Does the patient have moderate-to-severe plaque psoriasis for a □ No □ Yes	t least 6 months? <b>AND</b>
4.	If this i	s being used for <u>plaque psoriasis (</u> PSO):	
3.	Was there therapeutic failure to one of the preferred agents? (e.g. Enbrel, Humira) <b>AND</b> $\Box$ No $\Box$ Yes		
2.	Was there therapeutic failure on oral methotrexate? <b>AND</b> $\Box$ No $\Box$ Yes		
	□ Othe	r:	
	Does the member have diagnosis of one of the following? <b>AND</b> □ Plaque Psoriasis (PsO)		

any action in reliance on the contents of this telecopied information is strictly prohibited. Please notify sender if document was not intended for receipt by your facility